



Versio 6.0	n Revision Date: 11/07/2018	SDS Numb 1346134-00		Date of last issue: 08/13/2018 Date of first issue: 02/27/2017			
SECT	ION 1. IDENTIFICATION						
Р	roduct name	: 532G-7	410 PFA	POWDER CLEAR			
Р	Product code		D14227674				
S	SDS-Identcode		130000127741				
Μ	lanufacturer or supplier's	details					
С	ompany name of supplier	: The Che	emours C	ompany FC, LLC			
A	ddress		arket Stre ton, DE 1	et 9899 United States of America (USA)			
т	elephone	: 1-844-7	73-CHEN	l (outside the U.S. 1-302-773-1000)			
E	mergency telephone	773-200	)0) ; Ťrai	cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)			
R	ecommended use of the c	hemical and	restriction	ons on use			
R	ecommended use	: Coating	S				
R	estrictions on use	tions inv internal written a	use or res volving im body fluic agreemen	users only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, our Chemours representative.			

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients



Version 6.0	Revision Date: 11/07/2018	•	DS Number: 346134-00036	Date of last issue: 08/13/2018 Date of first issue: 02/27/2017
SECTION	A. FIRST AID MEASU	IRES		
lf inh	aled	:	If inhaled, remo Get medical atte	ve to fresh air. ention if symptoms occur.
In ca	se of skin contact	:		r and soap as a precaution. ention if symptoms occur.
In ca	se of eye contact	:		water as a precaution. ention if irritation develops and persists.
lf sw	allowed	:	Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.
	t important symptoms effects, both acute and yed	:	None known.	
Prote	ection of first-aiders	:	No special prec	autions are necessary for first aid responders.
Note	s to physician	:	Treat symptoma	atically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.





Vers 6.0	ion	Revision Date: 11/07/2018		S Number: 46134-00036	Date of last issue: 08/13/2018 Date of first issue: 02/27/2017
SEC	TION 6.	ACCIDENTAL RELE	ASE	E MEASURES	
	tive equ	al precautions, protec- ipment and emer- rocedures	:	Follow safe handl equipment recom	ing advice and personal protective mendations.
	Environi	mental precautions	:	Prevent further lea Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages ed.
		s and materials for nent and cleaning up	:	container for dispo Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	tum up spillage and collect in suitable osal. regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

	-	-		
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TŴA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL





ersion )	Revision Date: 11/07/2018	SDS Number: 1346134-00036		f last issue: 08/13/2018 f first issue: 02/27/2017	
			C	6 ppm 5 mg/m³	NIOSH REL
			TWA	3 ppm	OSHA Z-2
			TWA	0.5 ppm (Fluorine)	ACGIH
			С	2 ppm (Fluorine)	ACGIH
Carbo	onyl difluoride	353-50-4	TWA	2 ppm	ACGIH
li –			STEL	5 ppm	ACGIH
			ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
			TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbo	on dioxide	124-38-9	TWA	5,000 ppm	ACGIH
			STEL	30,000 ppm	ACGIH
			TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
			TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
			ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbo	on monoxide	630-08-0	TWA	25 ppm	ACGIH
			TWA	35 ppm 40 mg/m³	NIOSH REL
			С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
			TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** : Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection



Version 6.0	Revision Date: 11/07/2018		DS Number: 46134-00036	Date of last issue: 08/13/2018 Date of first issue: 02/27/2017
Re	emarks	:	Wash hands befo	ore breaks and at the end of workday.
Eye p	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin a	and body protection	:	Skin should be w	ashed after contact.
Hygie	ene measures	:	located close to t When using do n	lushing systems and safety showers are he working place. ot eat, drink or smoke. ted clothing before re-use.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Арр	bearance	:	solid
Col	or	:	clear
Od	or	:	No data available
Od	or Threshold	:	No data available
pН		:	No data available
Me	lting point/freezing point	:	No data available
ran	-	:	No data available
Fla	sh point	:	Not applicable
	aporation rate	:	Not applicable
Fla	mmability (solid, gas)	:	Not classified as a flammability hazard
	per explosion limit / Upper nmability limit	:	No data available
	ver explosion limit / Lower nmability limit	:	No data available
Vap	oor pressure	:	Not applicable
Rel	ative vapor density	:	Not applicable
Dei	nsity	:	2.1530 g/cm <sup>3</sup>
	ubility(ies) Water solubility	:	insoluble
	tition coefficient: n- anol/water	:	Not applicable
Aut	oignition temperature	:	No data available

## SAFETY DATA SHEET



# 532G-7410 PFA POWDER CLEAR

Version 6.0	Revision Date: 11/07/2018		lumber: 34-00036	Date of last issue: 08/13/2018 Date of first issue: 02/27/2017
Deco	omposition temperature	: No	o data available	9
Visco V	osity iscosity, kinematic	: No	ot applicable	
Expl	osive properties	: No	ot explosive	
Oxid	izing properties	: Tł	ne substance o	r mixture is not classified as oxidizing.
Parti	cle size	: No	o data available	9

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition pr Thermal decomposition		<b>ucts</b> Hydrofluoric acid Carbonyl difluoride Carbon dioxide

Carbon monoxide

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

## SAFETY DATA SHEET



# 532G-7410 PFA POWDER CLEAR

ersion 6.0	Revision Date: 11/07/2018	SDS Number: 1346134-00036	Date of last issue: 08/13/2018 Date of first issue: 02/27/2017				
	iratory sensitization						
	lassified based on ava	ailable information.					
	n cell mutagenicity lassified based on ava	ailable information.					
Carci	inogenicity						
Not cl IARC		ent of this product prese	ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.				
OSH/	<b>OSHA</b> No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.						
NTP		ent of this product prese s a known or anticipate	ent at levels greater than or equal to 0.1% is d carcinogen by NTP.				
	oductive toxicity						
	lassified based on ava	ailable information.					
	Γ-single exposure						
	lassified based on ava						
	<b>Γ-repeated exposure</b> lassified based on ava						
	ration toxicity						
-	lassified based on ava	ailable information.					
	12. ECOLOGICAL IN						
Ecoto	oxicity						
	ata available						
No da							
	stence and degrada	bility					
Persi	stence and degrada ata available	bility					
Persi No da Bioac	-	-					
<b>Persi</b> No da <b>Bioac</b> No da	ata available ccumulative potentia	-					
Persi No da Bioad No da Mobi	ata available ccumulative potentia ata available	-					

Results of PBT and vPvB assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	SDS Number:	Date of last issue: 08/13/2018
6.0	11/07/2018	1346134-00036	Date of first issue: 02/27/2017

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal m	nethods
------------	---------

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Ammonium fluoride	12125-01-8	100	153374
ammonia, aqueous solution	1336-21-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 311/312 Hazards : No SARA Hazards

# SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.





#### **US State Regulations**

#### Pennsylvania Right To Know

Fluoropolymer Ammonium fluoride Ammonium sulfate


Trade secret 12125-01-8 7783-20-2

Chemours<sup>®</sup>

#### California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**



Chemours<sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.



OSHA Z-2 / TWA



## 532G-7410 PFA POWDER CLEAR

Version	Revision Date: 11/07/2018	SDS Number:	Date of last issue: 08/13/2018
6.0		1346134-00036	Date of first issue: 02/27/2017
OSHA Z-1 / TWA		: 8-hour time we	eighted average

:

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

8-hour time weighted average

Sources of key data used to : compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date

: 11/07/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific





	te of last issue: 08/13/2018 te of first issue: 02/27/2017
--	---

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8