according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Vers 4.2	ion	Revision Date: 10/31/2023		DS Number: 54159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017			
SEC	SECTION 1. IDENTIFICATION							
	Product name		:	FEP Fluoroplastic Resin 9302 X / 9302 E				
	Produc	t code	:	D14927679				
	SDS-Id	entcode	:	130000032302				
	Manufa	acturer or supplier's o	deta	ails				
	Compa	ny name of supplier	:	The Chemours Company FC, LLC				
	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)				
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
	Recom	mended use of the c	hen	nical and restriction	ons on use			
	Recommended use		:	Resin for moulding and/or extrusion				
	Restrictions on use		:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Poly(Hexafluoropropene/Tetrafluoroethylene)

according to the OSHA Hazard Communication Standard



# FEP Fluoroplastic Resin 9302 X / 9302 E

ersion .2	Revision Date: 10/31/2023		OS Number: 54159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017	
CAS-	No.	:	25067-11-2		
•	oonents azardous ingredients				
ECTION	4. FIRST AID MEASU	RES			
lf inha	aled	:	If inhaled, remo Get medical atte	ve to fresh air. ention if symptoms occur.	
In cas	In case of skin contact		Wash with water and soap as a precaution. Get medical attention if symptoms occur.		
In cas	In case of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
lf swa	If swallowed		If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
and e	Most important symptoms and effects, both acute and delayed		Polymer fume fever		
Prote	ction of first-aiders	:	No special prec	autions are necessary for first aid responders	
Notes to physician			Treat symptomatically and supportively.		

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.

according to the OSHA Hazard Communication Standard



# FEP Fluoroplastic Resin 9302 X / 9302 E

Version 4.2	Revision Date: 10/31/2023		OS Number: 54159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017			
			Remove undama so. Evacuate area.	ged containers from fire area if it is safe to do			
	ecial protective equipment fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.				
SECTIO	N 6. ACCIDENTAL RELE	AS	E MEASURES				
tive	sonal precautions, protec- equipment and emer- ncy procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).				
Env	Environmental precautions :		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.				
con	tainer for disposal. Local or national regulations may apply sal of this material, as well as those ma ployed in the cleanup of releases. You which regulations are applicable. Sections 13 and 15 of this SDS provide certain local or national requirements.		regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. Is of this SDS provide information regarding				
SECTIO	N 7. HANDLING AND ST	OR	AGE				
Teo	chnical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.				

		CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
		Do not breathe decomposition products.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
Further information on stor- age stability	:	Stable under recommended storage conditions.

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Version 4.2 10/31/2023

Revision Date:

SDS Number: 1854159-00014 Date of last issue: 03/31/2023 Date of first issue: 08/12/2017

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		2 ppm (Fluorine)	ACGIH
		6 ppm 5 mg/m³	NIOSH REL
	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
	TWA	3 ppm	OSHA Z-2
353-50-4	TWA	2 ppm	ACGIH
	STEL	5 ppm	ACGIH
	TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
	ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
124-38-9	TWA	5,000 ppm	ACGIH
	STEL	30,000 ppm	ACGIH
	TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
	ST	54,000 mg/m <sup>3</sup>	NIOSH REL
	TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
630-08-0	TWA	25 ppm	ACGIH
	TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
	С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
	TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1
382-21-8	С	0.01 ppm	ACGIH
	7664-39-3 7664-39-3 353-50-4 353-50-4 124-38-9 630-08-0	(Form of exposure)     7664-39-3   TWA     C   C     TWA   C     TWA   TWA     TWA   TWA     STEL   TWA     STEL   TWA     124-38-9   TWA     STEL   TWA     STEL   TWA     630-08-0   TWA     TWA   TWA     ST   TWA <	(Form of exposure)     ters / Permissible concentration       7664-39-3     TWA     0.5 ppm (Fluorine)       C     2 ppm (Fluorine)       C     6 ppm 5 mg/m³       TWA     3 ppm 2.5 mg/m³       TWA     2 ppm 5 mg/m³       STEL     5 ppm 15 mg/m³       ST     5 ppm 15 mg/m³       TWA     2 ppm 5 mg/m³       STEL     5 ppm 15 mg/m³       ST     5 ppm 15 mg/m³       124-38-9     TWA     5,000 ppm 9,000 mg/m³       ST     STEL     30,000 ppm 9,000 mg/m³       ST     ST     30,000 ppm 9,000 mg/m³       ST     30,000 ppm 9,000 mg/m³       ST     30,000 ppm 9,000 mg/m³       G30-08-0     TWA     25 ppm 2,000 mg/m³       TWA     35 ppm 40 mg/m³       G30-08-0     TWA     35 ppm 2,000 mg/m³       G30-08-0     TWA     35 ppm 2,000 mg/m³       G30-08-0     TWA

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

according to the OSHA Hazard Communication Standard



# FEP Fluoroplastic Resin 9302 X / 9302 E

Version 4.2	Revision Date: 10/31/2023		DS Number: 54159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017			
Pers	onal protective equip	ment					
Resp	Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.				
	l protection aterial	: Heat resistant gloves		ves			
R	Remarks :		on the concentrat applications, we r micals of the afore manufacturer. Wa	protect hands against chemicals depending ion specific to place of work. For special ecommend clarifying the resistance to che- ementioned protective gloves with the glove ash hands before breaks and at the end of rough time is not determined for the pro- ves often!			
Еуе р	protection	:	Wear the followin Safety glasses	g personal protective equipment:			
Skin	and body protection	:	Skin should be wa	ashed after contact.			
Hygie	ene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.			

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: pellets, granules
Color	: white, translucent
Odor	: odorless
Odor Threshold	: No data available
рН	: No data available
Melting point/freezing point	: > 482 °F / > 250 °C

according to the OSHA Hazard Communication Standard



# FEP Fluoroplastic Resin 9302 X / 9302 E

Vers 4.2	sion	Revision Date: 10/31/2023		S Number: 64159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017			
	Initial b range	oiling point and boiling	:	No data available	3			
	Flash point		:	Not applicable				
	Evapor	ation rate	:	Not applicable				
	Flammability (solid, gas)			Not classified as explosive dust-ai	a flammability hazard, Not expected to form r mixtures.			
		explosion limit / Upper bility limit	:	No data available				
		explosion limit / Lower bility limit	:	No data available				
	Vapor p	pressure	:	Not applicable				
	Relative	e vapor density	:	Not applicable				
	Density	,	:	2.1 - 2.2 g/cm <sup>3</sup>				
	Solubili Wat	ty(ies) er solubility	:	insoluble				
	Partitio octanol	n coefficient: n- /water	:	No data available				
	Autoigr	ition temperature	:	No data available	9			
	Decom	position temperature	:	No data available	9			
	Viscosi Visc	ty osity, kinematic	:	Not applicable				
	Explosi	ve properties	:	Not explosive				
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.			
	Particle	size	:	No data available	3			

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Version 4.2	Revision Date: 10/31/2023	SDS Number: 1854159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017
tions		Hazardous de temperatures	ecomposition products will be formed at elevated
Condi	tions to avoid	: None known.	
Incom	patible materials	: Oxidizing age	ents
Hazardous decomposition		products	
		: Hydrogen fluo Carbonyl diflu Carbon dioxio Carbon mono 1-Propene, 1	uoride de

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2023	
4.2	10/31/2023	1854159-00014	Date of first issue: 08/12/2017	

### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity
No data available
Persistence and degradability
No data available
Bioaccumulative potential
No data available

### Mobility in soil

No data available

Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Version     Revision Date:     SDS Number:       4.2     10/31/2023     1854159-00014	Date of last issue: 03/31/2023 Date of first issue: 08/12/2017
---	---

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

Special precautions for user

Not applicable

#### SECTION 15. REGULATORY INFORMATION

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

#### Pennsylvania Right To Know

Poly(Hexafluoropropene/Tetrafluoroethylene)

25067-11-2

### California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.


### SECTION 16. OTHER INFORMATION

**Further information** 

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E



Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organiza-

according to the OSHA Hazard Communication Standard



### FEP Fluoroplastic Resin 9302 X / 9302 E

Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2023
4.2	10/31/2023	1854159-00014	Date of first issue: 08/12/2017

tion; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 10/31/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8