according to the OSHA Hazard Communication Standard



### **PFA Fluoroplastic Resin 951HP Plus**

Vers 4.2	ion	Revision Date: 11/03/2023		DS Number: 54643-00014	Date of last issue: 05/01/2023 Date of first issue: 08/14/2017				
SEC	SECTION 1. IDENTIFICATION								
	Product name		:	PFA Fluoroplastic Resin 951HP Plus					
	Produc	t code	:	D14668599	D14668599				
	SDS-Id	entcode	:	130000119341					
	Manufa	acturer or supplier's	deta	nils					
	Compa	ny name of supplier	:	The Chemours Company FC, LLC					
	Address		:	1007 Market Stre Wilmington, DE 1	et 9801 United States of America (USA)				
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)					
	Recom	mended use of the c	hen	nical and restriction	ons on use				
	Recommended use		:	Resin for mouldin	g and/or extrusion				
	Restric	tions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



## PFA Fluoroplastic Resin 951HP Plus

VersionRevision Date:SDS Number:Date of last issue: 05/01/20234.211/03/20231854643-00014Date of first issue: 08/14/2017	
---	--

#### Components

No hazardous ingredients

#### SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Polymer fume fever
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.
In case of eye contact If swallowed Most important symptoms and effects, both acute and delayed Protection of first-aiders		Get medical attention if symptoms occur. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. Polymer fume fever No special precautions are necessary for first aid responders.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

according to the OSHA Hazard Communication Standard



## PFA Fluoroplastic Resin 951HP Plus

Version 4.2	Revision Date: 11/03/2023		DS Number: 54643-00014	Date of last issue: 05/01/2023 Date of first issue: 08/14/2017
•	ecial protective equipment fire-fighters	:	necessary.	ed breathing apparatus for firefighting if ective equipment.
SECTIO	N 6. ACCIDENTAL RELE	AS	E MEASURES	
tive	sonal precautions, protec- equipment and emer- acy procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).
Env	Environmental precautions		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	
	thods and materials for tainment and cleaning up	:	tainer for disposal Local or national i sal of this materia ployed in the clea which regulations Sections 13 and 1	egulations may apply to releases and dispo- l, as well as those materials and items em- nup of releases. You will need to determine

#### SECTION 7. HANDLING AND STORAGE

Technical measures :		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		
		Do not breathe decomposition products.		
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.		
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents		
Further information on stor- age stability	:	Stable under recommended storage conditions.		

according to the OSHA Hazard Communication Standard



## PFA Fluoroplastic Resin 951HP Plus

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
4.2	11/03/2023	1854643-00014	Date of first issue: 08/14/2017

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
		C	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to

according to the OSHA Hazard Communication Standard



## PFA Fluoroplastic Resin 951HP Plus

Version 4.2	Revision Date: 11/03/2023		9S Number: 54643-00014	Date of last issue: 05/01/2023 Date of first issue: 08/14/2017
			concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH by air purifying re dous chemical is respirator if there exposure levels a	kposures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance g respirators may not provide adequate
	Hand protection Material		Heat resistant glo	oves
Re	Remarks		on the concentrat applications, we r micals of the afor manufacturer. Wa	protect hands against chemicals depending tion specific to place of work. For special recommend clarifying the resistance to che- rementioned protective gloves with the glove ash hands before breaks and at the end of strough time is not determined for the pro- ves often!
Eye p	Eye protection Skin and body protection		Wear the followin Safety glasses	g personal protective equipment:
Skin			Skin should be w	ashed after contact.
Hygie	ene measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: pellets, granules	
Color	: translucent	
Odor	: odorless	
Odor Threshold	: No data available	e
рН	: No data available	е
Melting point/freezing point	: > 545 °F / > 285	°C

according to the OSHA Hazard Communication Standard



## PFA Fluoroplastic Resin 951HP Plus

Vers 4.2	sion	Revision Date: 11/03/2023		S Number: 54643-00014	Date of last issue: 05/01/2023 Date of first issue: 08/14/2017
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	ooint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Not classified as explosive dust-ai	a flammability hazard, Not expected to form r mixtures.
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapor p	oressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Density	/	:	2.1 - 2.2 g/cm <sup>3</sup>	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	)
	Decom	position temperature	:	No data available	)
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	e size	:	No data available	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.

according to the OSHA Hazard Communication Standard



## **PFA Fluoroplastic Resin 951HP Plus**

Version 4.2	Revision Date: 11/03/2023	SDS Number: 1854643-00014	Date of last issue: 05/01/2023 Date of first issue: 08/14/2017	
Condit	tions to avoid	: None known.		
Incompatible materials		: Oxidizing age	nts	
Hazardous decomposition products				
	al decomposition	: Hydrogen fluo Carbonyl diflu Carbon dioxid Carbon mono:	oride e	

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



## **PFA Fluoroplastic Resin 951HP Plus**

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023	
4.2	11/03/2023	1854643-00014	Date of first issue: 08/14/2017	
e to te				
	<b>F-single exposure</b>			
Not c	lassified based on av	ailable information.		
STO	<b>F</b> -repeated exposure	•		
	Not classified based on available information.			
Acnii	Aspiration toxicity			
•	•			
Not c	Not classified based on available information.			
SECTION	12. ECOLOGICAL II	NFORMATION		

### Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** Not regulated as a dangerous good

## IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

according to the OSHA Hazard Communication Standard



## **PFA Fluoroplastic Resin 951HP Plus**

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
4.2	11/03/2023	1854643-00014	Date of first issue: 08/14/2017

#### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	No SARA Hazards	
SARA 313	This material does not contain any chemical componen known CAS numbers that exceed the threshold (De Mir reporting levels established by SARA Title III, Section 3	nimis)

#### **US State Regulations**

#### Pennsylvania Right To Know

Fluoropolymer Fluoropolymer Trade secret Trade secret

#### California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.


#### SECTION 16. OTHER INFORMATION

**Further information** 

according to the OSHA Hazard Communication Standard



### PFA Fluoroplastic Resin 951HP Plus



Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organiza-

according to the OSHA Hazard Communication Standard



### PFA Fluoroplastic Resin 951HP Plus

Version	Revision Date:	SDS Number:	Date of last issue: 05/01/2023
4.2	11/03/2023	1854643-00014	Date of first issue: 08/14/2017

tion; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 11/03/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8